



UNITED STATES PATENT AND TRADEMARK OFFICE

HD

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/770,251	02/02/2004	Michael J. Halliday	31571-1001	9448
------------	------------	---------------------	------------	------

5179 7590 10/31/2007
 PEACOCK MYERS, P.C.
 201 THIRD STREET, N.W.
 SUITE 1340
 ALBUQUERQUE, NM 87102

EXAMINER

KWIECINSKI, RYAN D

ART UNIT	PAPER NUMBER
----------	--------------

3635

MAIL DATE	DELIVERY MODE
-----------	---------------

10/31/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/770,251

Applicant(s)

HALLIDAY, MICHAEL J.

Examiner

Ryan D. Kwiecinski

Art Unit

3635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 10 October 2007.
- 2a) This action is **FINAL**.
- 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1,3-5,7,8,10-18 and 21-44 is/are pending in the application.
 - 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1,3-5,7,8,10-18 and 21-44 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 - 1. Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No. _____.
 - 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) Notice of Informal Patent Application
- 6) Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1, 7, 16, and 38-40 are rejected under 35 U.S.C. 102(b) as being anticipated by MI 2001A02272 to Bracale.

Claim 1:

Bracale discloses a skylight system comprising:

a tapered light tube (2, Fig.1) comprising a top and a bottom;

said tapered light tube wider at said top than at said bottom (Fig.1).

Claim 7:

Bracale discloses the skylight system of claim 1 (above) wherein said diffuser comprises complete diffusion (Page 2, Paragraph 37, lines 1-2) on its interior.

The diffuser is made out of translucent material so it will naturally diffuse light.

Claim 16:

Bracale discloses the skylight system of claim 1 (above) wherein said light tube further comprises a reflective interior (Page 4, last paragraph, lines 3-4).

Claim 38:

Bracale discloses the skylight system of claim 1 further comprising a dome at said top (4, Fig.1).

Claim 39:

Bracale discloses the skylight system of claim 1 further comprising a diffuser (40, Fig.5) at said bottom.

Claim 40:

Bracale discloses the skylight system of claim 1 wherein said light tube comprises a structural material (top rim of 2, Fig.1) configured to serve as flashing.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 3-5 and 30-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of USPN 2,858,734 to Boyd.

Claim 3:

Bracale discloses the skylight system of claim 38, but does not disclose said dome comprises a diffused dome.

Boyd discloses said dome (23, Fig.1) is a diffused dome (Column 3, lines 5-7).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have created the top dome of Bracale out of a material with a surface pattern that would cause the dome to completely diffuse light into the tube taught by Boyd, directing the light down the tube. The diffused dome enhances the overall performance of the skylight causing more light to enter the room being illuminated below.

Claim 4:

Bracale in view of Boyd discloses the skylight system of claim 3, Boyd also discloses said dome comprises a completely diffused dome (prisms, 28, cover the whole surface, Fig.1) on its interior.

Claim 5:

Bracale discloses the skylight system of claim 1, but does not disclose wherein said diffused dome comprises a prismatic diffuser.

Boyd disclose said dome comprises a prismatic diffuser (Column 3, lines 5-7)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have created a top dome of the skylight system of Bracale including a prismatic diffuser taught by Boyd, which scatters the light into the tube at angles causing the light to continue down the light tube. Using a diffuser is an idea well known in the art of skylights and lights in general.

Claim 30:

Bracale discloses the skylight comprising a light tube, a bottom diffuser, and a top dome,

Bracale does not disclose the dome being completely diffused nor does he disclose cutting a hole in the roof and lowering the skylight system through the hole in the roof.

Boyd discloses a completely diffused (prisms, 28, span along the entire surface of 23, Fig.1) dome (23, Fig.1) atop the light tube.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have constructed the skylight system of Bracale with a completely diffused dome taught by Boyd. A completely diffused dome will direct more sunlight down the tube causing enhanced illumination of the room below the tube.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to install the skylight system in the manner, which is presented in claim 30. It is extremely well known and obvious to known in order to have a skylight, one must cut a hole in the roof, which will accommodate for the light tube. It is also extremely obvious to lower the tube into the hole in order to place the tube through the roof. Further is very obvious to attach the dome and the diffuser to the light tube in order to complete the light tube assembly. This method of assembling the skylight system is notoriously well known.

Claim 31:

Bracale in view of Boyd discloses the method of claim 30 as well as the tapered tube, but does not disclose lowering the tapered tube through a hole until the roof stops the tapered light tube.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to lower the tapered tube through the hole just like in claim

30. It would have also been obvious to create a hole a certain size smaller than the tapered tube in order to create a friction fit when the tube is lowered into the hole.

Claims 8, 10-11, 18, 22-23, 28, and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of Publication No. US 2003/0066254 A1 to DeBlock.

Claim 8:

Bracale teaches the skylight system of claim 6, but does not teach wherein said bottom diffuser comprises a prismatic diffuser.

DeBlock teaches wherein said bottom diffuser comprises a prismatic diffuser (Page 1, paragraph 16, line 5).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have substituted the bottom diffuser with a prismatic diffuser taught by DeBlock to better enhance the scattering of the light into the room into which the skylight directs the sunlight. Prismatic diffusers are very well known in the art and would have been an obvious application in Bracale's skylight system.

Claim 10:

Bracale and DeBlock teach the skylight system of claim 8, DeBlock also teaches wherein said tapered light tube is sealed to said top dome (Page 1, paragraph 18, lines 1-4), but does not teach said light tube is sealed to said bottom diffuser, resulting in a completely sealed skylight system.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have sealed the skylight system on both ends where the openings exist in order to keep out bugs, moisture, and/or dust.

Claim 11:

Bracale and DeBlock teach the skylight system of claim 10, but they do not directly teach wherein each of said dome, said tapered tube, and said bottom diffuser are stackable during shipping and storage with other similar components. However, Bracale's dome, tapered tube, and bottom diffuser are clearly capable of being stacked.

Bracale's top dome is a hemispherical dome so it can obviously be stacked. Bracale's system has a tapered tube, so it as well can obviously be stacked. Bracale's bottom diffuser is either flat or hemispherical which can obviously be stacked. The shape of the skylight system is merely a design choice. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have created a design of a skylight which had parts that were able to be stacked during shipping or storage.

Claim 18:

Bracale discloses a skylight system comprising:

a light tube (2, Fig.1) comprising a structural material configured to serve as flashing (top rim of 2, Fig.1);

a dome (4, Fig.1) disposed at a top of said light tube;

a diffuser (14, Fig.1) disposed at a bottom of said light tube;

Bracale does not disclose said combination of said light tube, said top dome and said bottom diffuser permanently sealed.

DeBlock discloses said combination of said light tube, said top dome and said bottom diffuser permanently sealed (Page 1, Paragraph [0018], line 4, "adhesive").

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have sealed the skylight system of Bracale on both ends where the openings exist in order to keep out bugs, moisture, and/or dust.

Claim 22:

Bracale in view of DeBlock discloses the skylight system of claim 18, DeBlock also discloses wherein said bottom diffuser comprises complete diffusion (Page 1, Paragraph [0016]).

Claim 23:

Bracale in view of DeBlock discloses the skylight system of claim 18, DeBlock also discloses wherein said bottom diffuser comprises a prismatic diffuser (Page 1, paragraph 16, line 5).

Claim 28:

Bracale in view of DeBlock discloses the skylight system of claim 18, Bracale also discloses wherein said light tube further comprises a reflective interior (Page 4, last paragraph, lines 3-4).

Claim 43:

Bracale in view of DeBlock discloses the skylight system of claim 18, Bracale also discloses said light tube comprises a structural material configured to serve as flashing (rim at the top of 2, Fig.1).

Claims 12 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of USPN 5,596,848 to Lynch.

Claims 12, 15:

Bracale teaches the skylight system of claim 38, but he does not teach wherein said top dome comprises a notch system and said tapered light tube is disposed within said notch system per claim 12 or wherein the notch system further comprises a gasket per claim 15.

Lynch teaches wherein said top dome comprises a notch system (30,37, Fig.4) and said tapered light tube is disposed within said notch system per claim 12 or wherein the notch system further comprises a gasket (36, Fig.6) per claim 15.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included a notch system on the bottom of the dome,

which mates with the top of the tapered tube and creates a more secure connection and seal between the two. It is also obvious to include a gasket in this notch system to seal the opening between the dome and the tube. The use of mating edges, such as a notch and a lip, as well as gaskets to seal the mating edges are two extremely well known practices.

Claims 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of USPN 5,896,713 to Chao et al.

Claim 13,14:

Bracale teaches the skylight system of claim 1, but he does not teach wherein said bottom diffuser comprises a notch system and said tapered light tube is disposed within said notch system per claim 13 or wherein the notch system further comprises a gasket per claim 14.

Chao et al. teaches wherein said bottom diffuser comprises a notch system (26, Fig.5) and said tapered light tube is disposed within said notch system per claim 13 or wherein the notch system further comprises a gasket (94, Fig.5) per claim 14.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included a notch system on the top of the bottom diffuser, which mates with the bottom of the tapered tube and creates a more secure connection and seal between the two. It is also obvious to include a

gasket in this notch system to seal the opening between the bottom diffuser and the tube. The use of mating edges, such as a notch and a lip, as well as gaskets to seal the mating edges are two extremely well known practices.

Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of USPN 6,604,329 B2 to Hoy et al.

Claim 17:

Bracale discloses the skylight system of claim 1, Bracale does not disclose wherein a back of said top of said light tube is higher than a front of said top of said light tube.

Hoy et al. teaches wherein a back of said top of said light tube is higher than a front of said top of said light tube (Fig.1).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have created a light tube in which the back of the tube is higher than the front of the tube causing the tube to form to the shape of a slant roof. Also a slant tube is known to collect more light at a desired angle to direct the light down the tube. The idea of the shape of the tube is well known and is merely a design choice.

Claims 24 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of US 2003/0066254 A1 to DeBlock in view of USPN 5,596,848 to Lynch.

Claim 24,26:

Bracale in view of DeBlock discloses the skylight system of claim 18, but does not disclose wherein said top dome comprises a notch system and said light tube is disposed within said notch system per claim 24 or wherein the notch system further comprises a gasket per claim 26.

Lynch discloses wherein said top dome comprises a notch system (30,37, Fig.4) and said light tube is disposed within said notch system per claim 24 or wherein the notch system further comprises a gasket (36, Fig.6) per claim 26.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included a notch system taught by Lynch on the bottom of the dome of Bracale, which mates with the top of the tapered tube and creates a more secure connection and seal between the two. It is also obvious to include a gasket in this notch system to seal the opening between the dome and the tube. The use of mating edges, such as a notch and a lip, as well as gaskets to seal the mating edges are two extremely well known practices.

Claims 25 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of US 2003/0066254 A1 to DeBlock in view of USPN 5,896,713 to Chao et al.

Claim 25,27

Bracale in view of DeBlock discloses the skylight system of claim 18, but does not disclose wherein said bottom diffuser comprises a notch system and said light tube is disposed within said notch system per claim 25 or wherein the notch system further comprises a gasket per claim 27.

Chao et al. discloses wherein said top dome comprises a notch system (26, Fig.5) and said light tube is disposed within said notch system per claim 25 or wherein the notch system further comprises a gasket (94, Fig.5) per claim 27.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included a notch system taught by Chao et al. on the top of the bottom diffuser of Bracale, which mates with the bottom of the tapered tube and creates a more secure connection and seal between the two. It is also obvious to include a gasket in this notch system to seal the opening between the bottom diffuser and the tube. The use of mating edges, such as a notch and a lip, as well as gaskets to seal the mating edges are two extremely well known practices.

Claim 29 rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of US 2003/0066254 A1 to DeBlock in view of USPN 6,604,329 B2 to Hoy et al.

Claim 29:

Bracale in view of DeBlock discloses the skylight system of claim 18, but does not teach wherein a back of said top of said light tube is higher than a front of said top of said light tube.

Hoy et al. teaches wherein a back of said top of said light tube is higher than a front of said top of said light tube (Fig.1).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have created Bracale's light tube in which the back of the tube is higher than the front of the tube taught by Hoy et al. causing the tube to form to the shape of a slant roof. Also a slant tube is known to collect more light at a desired angle to direct the light down the tube. The idea of the shape of the tube is well known and is merely a design choice.

Claims 21, 32, and 41-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of USPN 2,858,734 to Boyd in view of Publication No. US 2003/0066254 A1 to DeBlock.

Claim 21

Bracale in view of DeBlock discloses the skylight system of claim 18, but they do not disclose wherein said diffused dome comprises a prismatic diffuser.

Boyd discloses wherein said diffused dome comprises a prismatic diffuser (Page 1, Paragraph [0016], line 5).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have created a top dome of the skylight system of Bracale including a prismatic diffuser taught by Boyd, which scatters the light into the tube at angles causing the light to continue down the light tube. Using a diffuser is an idea well known in the art of skylights and lights in general.

Claim 32:

Bracale in view of Boyd discloses the method of claim 30, but does not disclose wherein the step of disposing a diffuser to the light tube comprises permanently sealing the diffuser to the light tube; and wherein the step of disposing a dome atop the light tube comprises permanently sealing the dome atop the light tube; resulting in a permanently sealed skylight system.

DeBlock discloses wherein the step of disposing a dome atop the light tube comprises permanently sealing (Page 1, paragraph 18, lines 1-4, "adhesive") the dome atop the light tube. DeBlock does not disclose wherein the step of disposing a diffuser to the light tube comprises permanently sealing the diffuser to the light tube; resulting in a permanently sealed skylight system.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have sealed the skylight system of Bracale on both ends where the openings exist in order to keep out bugs and/or dust taught by DeBlock. In order to have a sealed skylight system, it is extremely obvious that one must take the step to actually seal the skylight system.

Claim 41:

Bracale in view of DeBlock discloses the skylight system of claim 18, but does not disclose said dome is a diffused dome.

Boyd discloses said dome (23, Fig.1) is a diffused dome (Column 3, lines 5-7).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have created the top dome of Bracale out of a material with a surface pattern that would cause the dome to completely diffuse light into the tube taught by Boyd, directing the light down the tube. The diffused dome enhances the overall performance of the skylight causing more light to enter the room being illuminated below.

Claim 42:

Bracale in view of DeBlock in view of Boyd discloses the skylight system of claim 41, Boyd also discloses said dome comprises a completely diffused dome on its interior (prisms, 28, cover the whole surface, Fig.1).

Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of USPN 2,858,734 to Boyd in view of USPN 5,596,848 to Lynch.

Claim 33:

Bracale in view of Boyd discloses the method of claim 30, but does not teach wherein the step of disposing the dome atop the light tube comprises providing a dome with a notch system and disposing the light tube with the notch system.

Lynch teaches wherein said top dome comprises a notch system (30,37, Fig.4) and said tapered light tube is disposed within said notch system.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included a notch system taught by Lynch on the bottom of the dome of Bracale's skylight system, which mated with the top of the tapered tube, creating a more secure connection and seal between the two. It is also obvious to take the step of disposing the tube within the notch system in order to secure the connection. The use of mating edges, such as a notch and a lip, as well as gaskets to seal the mating edges are two extremely well known practices.

Claim 34 is rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of USPN 2,858,734 to Boyd in view of USPN 5,896,713 to Chao et al.

Claim 34:

Bracale in view of Boyd discloses the method of claim 30, but does not disclose wherein the step of disposing the diffuser at the bottom of the light tube comprises providing a diffuser with a notch system and disposing the light tube within the notch system.

Chao et al. discloses wherein said top dome comprises a notch system (26, Fig. 5) and said tapered light tube is disposed within said notch system.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have included a notch system taught by Chao et al. on the bottom of the dome of Bracale's skylight system, which mated with the top of the tapered tube, creating a more secure connection and seal between the two. It is also obvious to take the step of disposing the tube within the notch system in order to secure the connection. The use of mating edges, such as a notch and a lip, as well as gaskets to seal the mating edges are two extremely well known practices.

Claims 35-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of Publication No. US 2003/0066254 A1 to DeBlock in view of USPN 6,351,923 B1 to Peterson.

Claim 35:

Bracale in view of DeBlock discloses the skylight system of claim 10, but does not disclose said light tube includes a desiccant or an inert gas disposed therein.

Peterson discloses a desiccant (42, Fig.2) and an inert gas (Column 1, lines 27-30) disposed therein.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have constructed the skylight system of Bracale including a desiccant and an inert gas disposed within the tube of the skylight taught by Peterson. Desiccants are notoriously well known in the art to be used to reduce the amount of moisture build up in sealed of spaces. The desiccant will prevent condensation from developing inside of the skylight tube due to the change in temperature of the gas inside of the tube. Inert gases increase the insulation of the skylight system reducing the heat flow through the system, in turn reducing heat loss from the building that the skylight system is installed.

Claim 36:

Bracale in view of DeBlock discloses the skylight system of claim 10, but does not disclose said light tube includes a desiccant or an inert gas disposed therein.

Peterson discloses a desiccant (42, Fig.2) and an inert gas (Column 1, lines 27-30) disposed therein.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have constructed the skylight system of Bracale including a desiccant and an inert gas disposed within the tube of the skylight taught by Peterson. Desiccants are notoriously well known in the art to be used to reduce the amount of moisture build up in sealed of spaces. The desiccant will prevent condensation from developing inside of the skylight tube due to the change in temperature of the gas inside of the tube. Inert gases increase the insulation of the skylight system reducing the heat flow through the system, in turn reducing heat loss from the building that the skylight system is installed.

Claims 37 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over MI 2001A02272 to Bracale in view of USPN 2,858,734 to Boyd in view of US 2004/0000107 A1 to Landis.

Claim 37:

Bracale in view of Boyd discloses the method of claim 30, but does not disclose a step of adhering light tube to the roof.

Landis discloses a step of adhering (Page 1, Paragraph [0006], line 25-28) the light tube to said roof.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have secured Bracale's skylight system to the roof using adhesives taught by Landis. Adhesives would secure and seal the skylight to the roof structure, preventing external elements from traveling between the roof and the skylight.

Claim 44:

Bracale in view of Boyd discloses the method of claim 30, but they do not disclose the step of sealing the hole without using roof flashing.

Landis discloses a step of adhering (Page 1, Paragraph [0006], line 25-28) the light tube to said roof.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have secured Bracale's skylight system to the roof using adhesives taught by Landis. Adhesives would secure and seal the skylight to the roof structure, preventing external elements from traveling between the roof and the skylight.

Response to Arguments

Applicant's arguments with respect to claims 1, 3-5, 7-8, 10-18, 21-44 have been considered but are moot in view of the new ground(s) of rejection.

Applicant's affidavit was considered but is moot in view of new rejection.

Applicant argues that DeBlock fails to teach permanently sealing the skylight system. DeBlock in fact teaches permanently sealing the skylight system with the use of adhesives. The drawings may show holes for fasteners, but DeBlock discloses an alternative way of sealing the tube is by using adhesive.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan D. Kwiecinski whose telephone number is (571)272-5160. The examiner can normally be reached on Monday - Friday from 9 am to 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Canfield can be reached on (571)272-6840. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:
10/770,251
Art Unit: 3635

Page 24

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


RDK

Robert Canfield
Primary Examiner
